(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 04.02.2004 Bulletin 2004/06

(51) Int Cl.⁷: **H01L 51/20**, H01L 27/15, H01L 51/40

- (43) Date of publication A2: 15.03.2000 Bulletin 2000/11
- (21) Application number: 99113164.0
- (22) Date of filing: 07.07.1999
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

 MC NL PT SE

 Designated Extension States:

 AL LT LV MK RO SI
- (30) Priority: 11.09.1998 US 151453
- (71) Applicant: Aglient Technologies, Inc. (a Delaware corporation)Palo Aito, CA 94303 (US)
- (72) Inventors:
 - Sheats, James R.
 Palo Alto,CA 94301 (US)
 - Roitmann, Daniel B.
 Menlo Park, CA 94025 (US)
- (74) Representative: Llesegang, Eva Forrester & Boehmert, Pettenkoferstrasse 20-22 80336 München (DE)

(54) An efficient method for fabricating organic light emitting diodes

(57) A method of fabricating an organic light emitting diode (OLED) display device (10; 62; 96; 110) utilizes gravure coating techniques to deposit a desired material during at least one step of a fabrication process of forming the OLED display device. Preferably, layers (22; 64, 66 and 68; 82, 83 and 84; 98; 112) of an OLED are formed on a web (41) of transparent flexible substrate (12), so that web processing may be used. A reverse gravure coating technique is preferably utilized to deposit uniform layer (22; 82, 83 and 84; 112) of selected material onto the web. Using the reverse gravure coating technique, a thin layer of organic electroluminescent

(EL) material (22), a passivation layer (112) and/or a photoresist layer (84) can be formed on the web. A forward gravure coating technique is utilized to deposit, or "print", a patterned layer of selected material onto the web. Using the forward gravure coating technique, a layer of patterned color EL materials (64; 66 and 68) for color OLED display devices can be formed by printing a number of organic EL materials onto the web. In addition, "bus lines" (98) to augment the conductivity of anodes (14, 16, 18 and 20) in an OLED display device can be formed using the forward gravure coating technique by printing thin lines composed of high conductive material.




FIG. 1



EUROPEAN SEARCH REPORT

Application Number

EP 99 11 3164

Category	Citation of document with of relevant pas	indication, where appropriate, sages	Relevant to claim		CLASSIFICATION OF THE APPLICATION (Int.CI.7)	
X	PATENT ABSTRACTS 0 vol. 1998, no. 08, 30 June 1998 (1998 -& JP 10 077467 A 24 March 1998 (1998 * abstract; figure	-06-30) (SUMITOMO CHEM CO LTD) 8-03-24)	, 1,3		L51/20 L27/15	
Υ	- azoor aco, 119arc		4-7			
Y	WO 97 38445 A (MAY TECH (GB)) 16 Octol * page 1 - page 2	PAUL ;CAMBRIDGE DISPL per 1997 (1997-10-16)	AY 5,6			
Y	US 4 791 881 A (IW/ 20 December 1988 (1 * column 1, line 69 figure 3 * * column 2, line 19	1988-12-20) 9 - column 2, line 1-3	;			
Y	PATENT ABSTRACTS OF vol. 1998, no. 03, 27 February 1998 (1 & JP 09 293589 A (f 11 November 1997 (1 * abstract * * figure 1 *	1998-02-27) PIONEER ELECTRON CORP)	, 7	H01	TECHNICAL FIELDS SEARCHED (Int.CI.7) H01L H05B	
ł	WO 97 07899 A (MINN 6 March 1997 (1997- * page 1, line 11 - * page 2, line 13 -	· line 22 *	5,6			
	US 5 399 936 A (WAT 21 March 1995 (1995 * abstract * * figure 4 * * column 2, line 18 * column 5, line 10	•	8-10		·	
	The present search report has	been drawn up for all claims				
	Place of search THE HAGUE	Date of completion of the search 25 November 200	03 F	aou, M	niner	
X : partic Y : partic docur A : techn	TEGORY OF CITED DOCUMENTS cularly relevant if taken alone cularly relevant if combined with anot ment of the same category cological background written discosure	E : earlier paient after the filing	document, but plate date and in the applicate and for other reas	published on, tion ons	Or	

2

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 99 11 3164

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of Information.

25-11-2003

	Patent docume cited in search rep		Publication date		Patent fan member(nily s)	Publication date
JP	10077467	Α	24-03-1998	NON	<u> </u>		
WO	9738445	A	16-10-1997	EP WO GB JP KR US	0956593 9738445 2328557 2000509185 2000005322 6395328	A1 A T A	17-11-199 16-10-199 24-02-199 18-07-200 25-01-200 28-05-200
US	4791881	A	20-12-1988	DE EP US	3684970 0214574 4948635	A2	27-05-1992 18-03-1987 14-08-1990
JP	09293589	Α	11-11-1997	US	5953585	Α	14-09-1999
WO	9707899	A	06-03-1997	CA CN DE DE EP JP WO	2228566 1193928 69606049 69606049 0847308 11511377 9707899	A D1 T2 A1 T	06-03-1997 23-09-1998 10-02-2000 03-08-2000 17-06-1998 05-10-1999 06-03-1997
US	5399936	Α	21-03-1995	JP	5307997	A	19-11-1993
			Official Journal of the E				